

FICHE NAVETTE: DOCTORANTS IDEX

SECTOR : Higher Education Institution

LOCATION: France, Grenoble

RESEARCH FIELD:

RESEARCHER PROFILE:

□ *First stage researcher,*

INSTITUTION: Univ. Grenoble Alpes, University of Innovation

One of the major research-intensive French universities, Univ. Grenoble Alpes**1 enjoys an international reputation in many scientific fields, as confirmed by international rankings. It benefits from the implementation of major European instruments (ESRF, ILL, EMBL, IRAM, EMFL*2). The vibrant ecosystem, grounded on a close interaction between research, education and companies, has earned Grenoble to be ranked as the 5th most innovative city in the world. Surrounded by mountains, the campus benefits from a natural environment and a high quality of life and work environment. With 7000 foreign students and the annual visit of more than 8000 researchers from all over the world, Univ. Grenoble Alps is an internationally engaged university.

A personalized Welcome Center for international students, PhDs and researchers facilitates your arrival and installation.

In 2016, Univ. Grenoble Alpes was labeled «Initiative of Excellence ». This label aims at the emergence of around ten French world class research universities. By joining Univ. Grenoble Alpes, you have the opportunity to conduct world-class research, and to contribute to the social and economic challenges of the 21st century ("sustainable planet and society", "health, well-being and technology", "understanding and supporting innovation: culture, technology, organizations" "Digital technology").

* ESRF (European Synchrotron Radiation Facility), ILL (Institut Laue-Langevin), IRAM (International Institute for Radio Astronomy), EMBL (European Molecular Biology Laboratory), EMFL (European Magnetic Field Laboratory)

Key figures:

- + 50,000 students including 7,000 international students
- 3,700 PhD students, 45% international
- 5,500 faculty members
- 180 different nationalities
- 1st city in France where it feels good to study and 5th city where it feels good to work
- ISSO: International Students & Scholars Office affiliated to EURAXESS

¹ Univ. Grenoble Alpes

MANDATORY REFERENCES:

CDP TITLE: **CIRCULAR**

SUBJECT TITLE: **A collective intelligence approach for reuse-oriented decision support in circular design and remanufacturing**

SCIENTIFIC DEPARTMENT (LABORATORY'S NAME): **LCIS**

DOCTORAL SCHOOL'S: **MSTII**

SUPPORTER'S NAME: **Michel Occello – Daniel Brissaud**

SUBJECT DESCRIPTION:

Context

Circular Economy Creating circular industrial systems able to transform post-used products into new products require reuse-oriented strategies, resulting in component remanufacture that leads to the manufacture of totally new products from the transformation of post-used components [Brissaud and Zwolinski, 2017].

The reuse strategy is a manufacturing strategy driven by market conditions, both customer wishes and material procurements. The new product differs from previous products. Repurposed products are products that are built for a different purpose and belong to a different product family. Upgraded products are products of the initial family that get different functions and performances. Re-purposing and upgrading a product implies the interaction of multiple areas of expertise from all along the value chain to integrate the different constraints related to the product, the process and its resources, or the business model [Bauer et al., 2017]. In many cases, the customer also acts as a stakeholder.

Internet of Things and Multi-Agent Systems

In general, the Internet of Things (IoT) can be defined as: "A global network infrastructure, linking physical and virtual infrastructure, linking physical and virtual objects through the exploitation of data capture and communication capabilities. This infrastructure includes existing and evolving Internet and network developments. It will offer specific object-identification, sensor, actuator and connection capability as the basis for the development of independent federated services and applications. These will be characterized by a high degree of autonomous data capture, event transfer, network connectivity and interoperability [Moisescu et al., 2010]. IoT is a potential way of providing real-world entities with certain degree of "intelligence" so that the required level of context awareness can be achieved. Using IoT in manufacturing make then possible to consider the different systems involved in manufacturing as multi-agent systems. [Xing et al., 2011, Wang et al., 2016]

By using a social metaphor, the multi-agent paradigm offers a powerful framework for autonomous behaviors, social, organizational and cooperative exchanges needed for these kinds of artificial complex systems [Jamont and Occello, 2015]. Autonomy is one of the main concepts in the multi-agent issue: it is the ability of agents to control their actions and their internal states. Adaptation allows an agent to reason about the quality of its work according to constraints or incomplete data. The autonomy of agents implies no centralized control at a system level. An agent can be endowed with communication capabilities. Multi-agent systems aim to build collective intelligence systems. Nodes are not only autonomous but rather social entities. Agents are able to communicate, but also to interact adapting dynamically their interaction mode. The objective is not only to manage a system or to make a system adaptive but also to produce a collective emergent behavior [Wood and Galton, 2009].

Designing a Multi-Agent System (MAS) leads to find a way to build local agents structures and behaviors to drive the system of agents produces a particular global structure or a particular global functionality.

Manufacturing and Multi-Agent Systems


Multi-agent systems have addressed with success manufacturing problems for a long time [Shen et al., 2003, Wang et al., 2016]. In the field of circular economy, we can find recent multi-agent contributions to the global process modeling [Gómez et al., 2017, Xing et al., 2017] or on particular steps like disassembly [Sathish et al., 2015] or

product collection [Xing et al., 2011]. Our objective is to demonstrate the relevance of multi-agent systems on human-centered design and manufacturing.

Expected Contribution

We propose to focus on the re-purposing phase of the re-use oriented process. The aim of this thesis is to study a multi-agent model for a re-purposing-oriented manufacturing system (Figure 1). Taking benefit of the collective intelligence capabilities, it will be a decision making support system able to integrate variability of inputs availability and uncertainty (openness), highly adaptation to market, humans (high-level knowledge like business, values, personal preferences) and to very diverse technical constraints (quality, processing, storage constraints ...) and able to integrate multiple areas of expertise required interactions.

We argue in favor of an agentification of collected components, material, parts, and production resources by means of IoT techniques. Agents will be avatars of physical objects representing them and enriching them on a virtual level. Agents will be able to interact directly or indirectly with them through information systems, machines or human operators.



In order to achieve collective intelligent behaviors for agents, we will have to define:

- local knowledge (components constraints)
- global constraints as social norms and obligations [Conte and Paolucci, 2014] (process constraints)

At a virtual level, they will implement strategies of negotiation to build dynamic coalitions (organizational structures) corresponding to new proposed assemblies. The choice of the best suited assemblies will be ensured through a social attraction mechanism inspired from social sciences, like models issued from small groups dynamics [Lavy et al., 2015, Puurtinen et al., 2015]. Supervision mechanisms will be introduced to make possible interaction between the system and humans [Hoang et al., 2012]. The multi-agent system able to achieve a real socialization of the remanufacturing process [Tao et al., 2017].

Practical contribution

The multi-agent model will be simulated using MASH. MASH is a tool to develop multi-agent systems able to interact with physical devices or connected environments [Jamont and Ocelllo, 2015]. Experiments will be made using real world credible data. The development will be guided, for example, by the following use case:

- CC, the Circular Company, is specialized in designing specific personalized products and in manufacturing it from post-used components that were collected. CC owns its own production system to re-manufacture components and assemble the new product.
- A customer asks for a product A to the circular company. The engineer of the circular company must design both the product A* that cover the product A demand and the whole manufacturing process to get it. The resources available to manufacture the new product are those of the CC production system and the set of collected products, parts and components. The engineer drives and mediates the proposals of the design system. When appropriate, the engineer and the customer negotiate some elements of the final product regarding the initial wish.

References

[Bauer et al., 2017] Bauer, T., Brissaud, D., and Zwolinski, P. (2017). Design for high added-value end-of-life strategies. In *Sustainable Manufacturing*, pages 113-128. Springer.

[Brissaud and Zwolinski, 2017] Brissaud, D. and Zwolinski, P. (2017). The scientific challenges for a sustainable consumption and production scenario : The circular reuse of materials for the upgrading and repurposing of components. *Procedia CIRP*, 61 :663-666.

[Conte and Paolucci, 2014] Conte, R. and Paolucci, M. (2014). On agent-based modeling and computational social science. *Frontiers in Psychology*, 5 :668.

[Gómez et al., 2017] Gómez, A. M. M., González, F. A., and Bárcena, M. M. (2017). Smart eco-industrial parks : A circular economy implementation based on industrial metabolism. *Resources, Conservation and Recycling* .

[Hoang et al., 2012] Hoang, T. T. H., Ocelllo, M., Jamont, J.-P., and Yelles, C. B. (2012). Supervision de systèmes complexes artificiels décentralisés : proposition d'un modèle multi-agent récursif générique. *Revue des Sciences et Technologies de l'Information-Série RIA : Revue d'Intelligence Artificielle* .

[Jamont and Ocelllo, 2015] Jamont, J. and Ocelllo, M. (2015). Meeting the challenges of decentralised embedded applications using multi-agent systems. *of Agent-Oriented Software Engineering*, 5(1) :22-68.

[Lavy et al., 2015] Lavy, S., Bareli, Y., and Ein-Dor, T. (2015). The Effects of Attachment Heterogeneity and Team Cohesion on Team Functioning. *Small Group Research*, 46(1) :2749.

[Moiescu et al., 2010] Moiescu, M. A., Sacala, I. S., and Stanescu, A. M. (2010). Towards the development of internet of things oriented intelligent systems. *Bulletin, Series C*, 72(4) :115-124.

[Puurtinen et al., 2015] Puurtinen, M., Heap, S., and Mappes, T. (2015). The joint emergence of group competition and within-group cooperation behavior, *Evolution and Human Behavior*. 36(3) :211-217.

[Sathish et al., 2015] Sathish, T., Jayaprakash, J., and Thinakaran, N. (2015). Multi-agent based disassembly sequencing and planning for end-of-life products. In *Applied Mechanics and Materials*, volume 813, pages 1193-1197. Trans Tech Publ.

[Shen et al., 2003] Shen, W., Norrie, D. H., and Barthès, J.-P. (2003). Multi-agent systems for concurrent intelligent design and manufacturing. CRC press.

[Tao et al., 2017] Tao, F., Cheng, Y., Zhang, L., and Nee, A. Y. (2017). Advanced manufacturing systems : socialization characteristics and trends. *Manufacturing*, 28(5) :1079-1094.

[Wang et al., 2016] Wang, S., Wan, J., Zhang, D., Li, D., and Zhang, C. (2016). Towards smart factory for industry 4.0 : a self-organized multi-agent system with big data based feedback and coordination. *Computer Networks*, 101 :158-168.

[Wood and Galton, 2009] Wood, Z. and Galton, A. (2009). A taxonomy of collective phenomena. *Applied Ontology*, 4(3-4) :267292.

[Xing et al., 2017] Xing, B., Gao, W.-I., and Marwala, T. (2017). Multiagent framework for distributed leasing-based injection mould remanufacturing. *Distributed Networks :Intelligence, Security, and Applications* , page 265.

[Xing et al., 2011] Xing, B., Gao, W.-J., Battle, K., Nelwamondo, F. V., and Marwala, T. (2011). e-RL : the internet of things supported reverse logistics for remanufacture-to-order. In *ADVCOMP 2011 : The Fifth International Conference on Advanced Engineering Computing and Applications in Sciences* , Lisbon, Portugal. IARIA.

ELIGIBILITY CRITERIA

Applicants:

- must hold a Master's degree (or be about to earn one) or have a university degree equivalent to a European Master's (5-year duration),

Applicants will have to send an application letter in English and attach:

- Their last diploma
- Their CV
- A short presentation of their scientific project (2 to 3 pages max)
- Letters of recommendation are welcome.

Address to send their application: Michel.Occello@univ-grenoble-alpes.fr , Daniel.Brissaud@grenoble-inp.fr

SELECTION PROCESS

Application deadline: **15th june 2018** at 17:00 (CET)

Applications will be evaluated through a three-step process:

1. Eligibility check of applications in **june 2018**
2. 1st round of selection: the applications will be evaluated by a Review Board in **july 2018**. Results will be given on **end of july 2018**.
3. 2nd round of selection: shortlisted candidates will be invited for an interview session in Grenoble in **September 2018**. (if necessary)

TYPE of CONTRACT: temporary-3 years of doctoral contract

JOB STATUS: Full time

HOURS PER WEEK: 35

OFFER STARTING DATE: **1st october 2018**

APPLICATION DEADLINE: **15th june 2018**

Salary: between 1768.55 € and 2100 € brut per month (depending on complementary activity or not)

Financements de la thèse : si co-financements, préciser la durée de chacun des financements et l'organisme ou l'institution partenaire